

Health Literacy and Patient and Family Engagement

Darren A. DeWalt, MD, MPH
Associate Professor of Medicine
University of North Carolina

Health Literacy

“The degree to which individuals have the capacity to obtain, process, and understand basic health information and services needed to make appropriate health decisions.”

Healthy People 2010

Thesis


- Health literacy (on the patient side) and/or sensitivity to health literacy (on the provider/system side) are central (required) for patient engagement

Key Points To Remember

- Health literacy is not the same as patient engagement
- People have trouble understanding health related information
- Part of engagement will include communication that people can understand

EXHIBIT 1

A Multidimensional Framework For Patient And Family Engagement In Health And Health Care



SOURCE Authors' analysis. **NOTE** Movement to the right on the continuum of engagement denotes increasing patient participation and collaboration.

“For patients to engage effectively in shared decision making, they must have a certain degree of health literacy.”


James J. RWJF Health Policy Brief. 2013. Health Affairs.

Carman et al. Health Affairs. 2013

Health Literacy and Patient Activation

- They aren't the same
- Correlation between usual measures of health literacy and patient activation = 0.11
- Both independently predict outcomes
- Health literacy a 'skill set', activation a 'mind set'

The single biggest problem in communication is the illusion that it has taken place.




- *George Bernard Shaw*

National Assessment of Adult Literacy (NAAL)


n = 19,714

- Most up to date portrait of literacy in U.S.
- Scored on 4 levels
- Lowest 2 levels cannot:
 - Use a bus schedule or bar graph
 - Explain the difference in two types of employee benefits
 - Write a simple letter explaining an error on a bill

2003 National Assessment of Adult Literacy



Improve Skills and Reduce Complexity



What works?

Less is More

Complexity Matters, Design Matters

- Ask people to make decisions about hospital quality given different presentations of the same data
- [very common way to try to engage people in the health care marketplace]
- Measure comprehension and choice
- Stratify by high and low numeracy

Table 2
Study 1: Unordered—Both Quality and Nonquality
Hospital Information Is Presented Unordered

Indicators	Hospital X	Hospital Y	Hospital Z
Your out-of-pocket costs	\$	\$\$\$	\$\$
No. of general care beds	550	231	180
Rated quality of hospital food (higher is better)	4.1	1.1	2.0
% of time guidelines for heart attack care are followed	82%	92%	87%
% of time guidelines for pneumonia care are followed	60%	89%	78%
No. of visiting hours per day	11	6	8
No. of registered nurses per 100 patients	18	38	29
Patient references available	Limited	Limited	Limited
Has computer system to prevent medication errors	No	Yes	Limited

Table 3
Study 1: Quality and Cost Only—Hospital Information Includes
Quality Information Only and Is Highlighted

Measures	Hospital X	Hospital Y	Hospital Z
Your out-of-pocket costs	\$	\$\$\$	\$\$
No. of registered nurses per 100 patients	18	38	29
Has computer system to prevent medication errors	No	Yes	Limited
% of time guidelines for heart attack care are followed	82%	92%	87%
% of time guidelines for pneumonia care are followed	60%	89%	78%

Figure 1

Study 1. Mean Comprehension by Presentation Format and Numeracy





Figure 2
Study 1. Choice of the Highest-Quality Hospital
by Presentation Format and Numeracy



Summary

- Extraneous information muddies the water
- Organizing the information to support the decision is important

Choose the Best Hospital

Table 5
Study 3: Patient-to-Nurse Ratio Is Presented as “Higher Is Better”
with Easier-to-Evaluate Symbols


	No. of Registered Nurses per 100 Patients		Your Out-of-Pocket Cost
Hospital A	38	+	\$\$\$
Hospital B	36	+	\$\$\$\$
Hospital C	32	+	\$\$\$\$
Hospital D	38	+	\$\$\$\$
Hospital E	24	○	\$\$
Hospital F	37	+	\$\$\$\$
Hospital G	19	-	\$\$\$\$
Hospital H	20	-	\$
Hospital I	18	-	\$
Hospital J	21	○	\$\$
Hospital K	24	○	\$
Hospital L	23	○	\$\$\$\$
Hospital M	26	○	\$
Hospital N	24	○	\$\$\$
Hospital O	17	-	\$\$

Note: + = more registered nurses per 100 patients; ○ = average number of registered nurses per 100 patients; - = fewer registered nurses per 100 patients.

Also presented as ‘lower is better’ or number of patients per nurse.

Presented with and without symbols

Figure 4
Study 3. Mean Comprehension by Presentation Format and Numeracy



Higher is better beats
lower is better

No symbols better
than symbols

Summary

- Higher is better is more consistent with how people think and process numbers
- Symbols need to be chosen carefully and may distract. (also note prescription label example)

Readability Formulas

- Your arteries are blocked by atherosclerosis.
 - Flesch-Kincaid 12.0
- Your arteries are blocked by plaques.
 - Flesch-Kincaid 2.4

Teach-back Method



www.teachbacktraining.com

Explain



Assess




Clarify



Understanding



Improve Skills and Reduce Complexity



Summary

- Health literacy is not the same as patient activation
- Health literacy affects our ability to engage patients
- Careful design and communication can mitigate effects of low health literacy
- Patient engagement strategies need to reduce demands and complexity to succeed

End